

RING TERMINALS



SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-2.2	R-103	1.68	10-10.2	R-123	8.64
1.5-3.2	R-001	1.68	10-12.7	R-028	8.40
1.5-3.7	R-002	1.68	16-5.2	R-124	7.44
1.5-4.2	R-003	1.56	16-5.2	R-125	8.40
1.5-3.2	R-153	1.68	16-6.4	R-029	7.92
1.5-3.7	R-048	1.68	16-6.4	R-126	9.36
1.5-4.2	R-049	1.68	16-8.2	R-030	8.76
1.5-4.2	R-004	1.68	16-9.7	R-031	10.80
1.5-5.2	R-005	1.63	16-8.2	R-127	10.32
1.5-4.2	R-154	1.68	16-10.2	R-032	10.32
1.5-5.2	R-006	2.11	16-10.2	R-128	13.20
1.5-6.4	R-007	2.11	16-12.7	R-033	10.56
1.5-6.4	R-106	2.11	25-6.4	R-156	13.68
2.5-3.2	R-107	1.75	25-8.2	R-051	15.12
2.5-3.7	R-008	1.75	25-6.4	R-129	16.56
2.5-3.7	R-108	1.75	25-8.2	R-034	16.32
2.5-4.2	R-009	1.68	25-10.2	R-035	16.32
2.5-5.2	R-010	1.68	25-6.4	R-130	20.40
2.5-5.2	R-109	1.92	25-8.2	R-036	20.40
2.5-6.4	R-011	1.92	25-10.2	R-131	19.80
2.5-5.2	R-110	2.76	25-10.2	R-132	23.52
2.5-6.4	R-012	2.76	25-12.7	R-037	22.44
2.5-8.2	R-013	2.52	35-6.4	R-133	19.08
2.5-6.4	R-111	3.48	35-8.2	R-038	17.88
2.5-8.2	R-014	3.48	35-8.2	R-134	17.88
2.5-10.2	R-015	3.48	35-10.2	R-039	17.88
2.5-10.2	R-151	3.84	35-10.2	R-135	24.60
2.5-12.7	R-047	3.48	35-12.7	R-040	23.76
4-6-4.2	R-155	3.00	50-8.2	R-136	28.20
4-6-5.2	R-050	3.00	50-10.2	R-041	27.00
4-6-4.2	R-112	3.48	50-10.2	R-137	29.76
4-6-5.2	R-016	3.48	50-10.2	R-138	31.20
4-6-5.2	R-157	4.20	50-12.7	R-042	33.60
4-6-6.4	R-017	3.48	50-16.2	R-139	40.80
4-6-8.2	R-018	3.48	70-10.2	R-140	40.80
4-6-6.4	R-019	4.20	70-12.7	R-043	40.80
4-6-6.4	R-115	4.80	70-12.7	R-141	44.40
4-6-8.2	R-020	4.68	70-16.2	R-142	57.60
4-6-8.2	R-116	5.76	95-10.2	R-143	62.40
4-6-10.2	R-022	5.76	95-10.2	R-144	62.40
4-6-10.2	R-023	5.76	95-12.7	R-044	62.40
4-6-12.7	R-024	5.40	95-16.2	R-145	62.40
10-5.2	R-025	4.80	120-12.7	R-146	72.00
10-5.2	R-026	4.80	120-16.2	R-147	85.20
10-6.4	R-120	4.80	120-20.3	R-148	93.60
10-8.2	R-121	5.76	150-12.7	R-149	182.40
10-8.2	R-122	7.08	150-16.2	R-045	182.40
10-10.2	R-027	7.08	150-20.3	R-046	182.40

RING TERMINALS (INSULATED)



SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-2.2	RI-052	1.92	2.5-6.4	RI-076	3.02
1.5-3.2	RI-054	1.92	2.5-8.2	RI-077	2.78
1.5-3.7	RI-055	1.92	2.5-6.4	RI-078	3.74
1.5-4.2	RI-056	1.80	2.5-8.2	RI-079	3.74
1.5-3.2	RI-057	1.92	2.5-10.2	RI-080	3.74
1.5-3.7	RI-058	1.92	2.5-10.2	RI-081	4.10
1.5-4.2	RI-059	1.92	2.5-12.7	RI-082	3.74
1.5-4.2	RI-061	1.92	4-6-4.2	RI-083	3.34
1.5-5.2	RI-062	1.87	4-6-5.2	RI-084	3.34
1.5-4.2	RI-063	1.92	4-6-4.2	RI-085	3.82
1.5-5.2	RI-065	2.35	4-6-5.2	RI-086	3.82
1.5-6.4	RI-066	2.35	4-6-5.2	RI-087	4.54
1.5-6.4	RI-067	2.35	4-6-6.4	RI-089	3.82
2.5-3.2	RI-068	2.02	4-6-8.2	RI-090	3.82
2.5-3.7	RI-069	2.02	4-6-6.4	RI-092	4.54
2.5-3.7	RI-070	2.02	4-6-6.4	RI-093	5.14
2.5-4.2	RI-071	1.94	4-6-8.2	RI-094	5.02
2.5-5.2	RI-072	1.94	4-6-8.2	RI-096	6.10
2.5-5.2	RI-073	2.18	4-6-10.2	RI-097	6.10
2.5-6.4	RI-074	2.18	4-6-10.2	RI-099	6.10
2.5-5.2	RI-075	3.02	4-6-12.7	RI-100	5.74

RING TERMINALS (DOUBLE GRIP)



SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-2.2	RD-435	2.64	2.5-6.4	RD-459	3.84
1.5-3.2	RD-437	2.64	2.5-8.2	RD-460	3.84
1.5-3.7	RD-438	2.64	2.5-6.4	RD-461	4.56
1.5-4.2	RD-439	2.64	2.5-8.2	RD-462	4.56
1.5-3.2	RD-440	2.64	2.5-10.2	RD-463	4.56
1.5-3.7	RD-441	2.64	2.5-10.2	RD-464	4.80
1.5-4.2	RD-442	2.64	2.5-12.7	RD-465	4.56
1.5-4.2	RD-444	2.64	4-6-4.2	RD-466	4.56
1.5-5.2	RD-445	2.64	4-6-5.2	RD-467	4.56
1.5-4.2	RD-446	2.64	4-6-4.2	RD-468	5.16
1.5-5.2	RD-448	3.12	4-6-5.2	RD-469	5.16
1.5-6.4	RD-449	3.12	4-6-5.2	RD-470	5.88
1.5-6.4	RD-450	3.12	4-6-6.4	RD-472	5.16
2.5-3.2	RD-451	2.88	4-6-8.2	RD-473	5.16
2.5-3.7	RD-452	2.88	4-6-6.4	RD-475	5.88
2.5-3.7	RD-453	2.88	4-6-6.4	RD-476	6.48
2.5-4.2	RD-454	2.88	4-6-8.2	RD-477	6.48
2.5-5.2	RD-455	2.88	4-6-8.2	RD-479	7.44
2.5-5.2	RD-456	2.88	4-6-10.2	RD-480	7.44
2.5-6.4	RD-457	2.88	4-6-10.2	RD-482	7.44
2.5-5.2	RD-458	3.84	4-6-12.7	RD-483	7.08

BRACO ELECTRICALS (INDIA) PVT. LTD.



PRICE LIST DT. 16.08.2013



RING TONGUE FORK TERMINALS					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-3.1	RF-235	2.04	4-6-4.1	RF-243	3.60
1.5-3.6	RF-240	2.04	4-6-4.1	RF-245	4.20
1.5-3.1	RF-241	2.04	4-6-5.1	RF-246	4.20
1.5-3.6	RF-244	2.04	4-6-5.1	RF-247	6.00
1.5-4.1	RF-237	2.04	4-6-6.1	RF-248	5.04
1.5-4.1	RF-236	2.04	10-4.1	RF-865	5.76
1.5-5.1	RF-238	2.64	10-5.1	RF-866	5.76
1.5-6.1	RF-861	2.64	10-6.1	RF-867	5.76
2.5-3.1	RF-862	2.16	10-8.1	RF-868	6.96
2.5-3.6	RF-863	2.16	10-5.1	RF-869	9.24
2.5-4.1	RF-239	2.16	16-6.1	RF-870	9.84
2.5-5.1	RF-242	2.40	16-8.1	RF-871	10.56
2.5-6.1	RF-864	2.40	16-8.1	RF-872	11.76

RING TONGUE FORK TERMINALS (INSULATED)					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-3.1	RFI-873	2.88	2.5-3.6	RFI-882	3.12
1.5-3.6	RFI-874	2.88	2.5-4.1	RFI-883	3.12
1.5-3.1	RFI-875	2.88	2.5-5.1	RFI-884	3.36
1.5-3.6	RFI-876	2.88	2.5-6.1	RFI-885	3.36
1.5-4.1	RFI-877	2.88	4-6-4.1	RFI-886	5.16
1.5-4.1	RFI-878	2.88	4-6-4.1	RFI-887	5.76
1.5-5.1	RFI-879	3.36	4-6-5.1	RFI-888	5.76
1.5-6.1	RFI-880	3.36	4-6-5.1	RFI-889	7.56
2.5-3.1	RFI-881	3.12	4-6-6.1	RFI-890	6.60

RING FORK TERMINALS (DOUBLE GRIP)					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-3.1	RFD-899	3.00	2.5-4.1	RFD-909	3.24
1.5-3.6	RFD-900	3.00	2.5-5.1	RFD-910	3.48
1.5-3.1	RFD-901	3.00	2.5-6.1	RFD-911	3.48
1.5-3.6	RFD-902	3.00	4-6-4.1	RFD-912	5.28
1.5-4.1	RFD-903	3.00	4-6-4.1	RFD-913	5.88
1.5-4.1	RFD-904	3.00	4-6-5.1	RFD-914	5.88
1.5-5.1	RFD-905	3.48	4-6-5.1	RFD-915	7.68
1.5-6.1	RFD-906	3.48	4-6-6.1	RFD-916	6.72
2.5-3.1	RFD-907	3.24			
2.5-3.6	RFD-908	3.24			

RING TONGUE FORK TERMINALS (DOUBLE GRIP)					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-2.2	RD-435	2.64	2.5-6.4	RD-459	3.84
1.5-3.2	RD-437	2.64	2.5-8.2	RD-460	3.84
1.5-3.7	RD-438	2.64	2.5-6.4	RD-461	4.56
1.5-4.2	RD-439	2.64	2.5-8.2	RD-462	4.56
1.5-3.2	RD-440	2.64	2.5-10.2	RD-463	4.56
1.5-3.7	RD-441	2.64	2.5-10.2	RD-464	4.80
1.5-4.2	RD-442	2.64	2.5-12.7	RD-465	4.56
1.5-4.2	RD-444	2.64	4-6-4.2	RD-466	4.56
1.5-5.2	RD-445	2.64	4-6-5.2	RD-467	4.56
1.5-4.2	RD-446	2.64	4-6-4.2	RD-468	5.16
1.5-5.2	RD-448	3.12	4-6-5.2	RD-469	5.16
1.5-6.4	RD-449	3.12	4-6-5.2	RD-470	5.88
1.5-6.4	RD-450	3.12	4-6-6.4	RD-472	5.16
2.5-3.2	RD-451	2.88	4-6-8.2	RD-473	5.16
2.5-3.7	RD-452	2.88	4-6-6.4	RD-475	5.88
2.5-3.7	RD-453	2.88	4-6-6.4	RD-476	6.48
2.5-4.2	RD-454	2.88	4-6-8.2	RD-477	6.48
2.5-5.2	RD-455	2.88	4-6-8.2	RD-479	7.44
2.5-5.2	RD-456	2.88	4-6-10.2	RD-480	7.44
2.5-6.4	RD-457	2.88	4-6-10.2	RD-482	7.44
2.5-5.2	RD-458	3.84	4-6-12.7	RD-483	7.08

BRACO ELECTRICALS (INDIA) PVT. LTD.
 Adm. Office : 3/14 Gold Mohar Bldg., 174 , Princess Street, Mumbai - 400 002. India
 Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@braco.in Website : www.braco.in



PRICE LIST DT. 16.08.2013



FORK TERMINALS					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-3.5	F-214	2.88	4-6-3.1	F-252	2.64
1.5-3.5	F-249	1.37	4-6-3.5	F-253	2.64
1.5-3.1	F-250	1.92	10-6.5	F-254	6.96
2.5-3.5	F-251	1.51	10-8.2	F-255	6.96
2.5-5.0	F-280	3.12			

PIN TERMINALS					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5	P-9	1.51	10	P-7	5.16
1.5	P-35	1.51	16	P-8	7.68
2.5	P-1	1.56	25	P-86	18.24
2.5	P-2	1.63	35	P-87	20.28
4	P-3	2.88	50	P-88	32.40
4	P-4	3.72	70	P-94	50.40
6	P-5	3.12	95	P-95	64.80
6	P-6	5.40			

FORK TERMINALS (INSULATED)					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-3.5	FI-925	3.12	4-6-3.1	FI-930	2.98
1.5-3.5	FI-926	1.61	4-6-3.5	FI-931	2.98
1.5-3.1	FI-927	2.16	10-6.5	FI-932	7.49
2.5-3.5	FI-928	1.78	10-8.2	FI-933	7.49
2.5-5.0	FI-929	3.38			

PIN TERMINALS (INSULATED)					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5	PI-17	1.75	4	PI-21	4.06
1.5	PI-40	1.75	6	PI-22	3.46
2.5	PI-18	1.82	6	PI-23	5.74
2.5	PI-19	1.90	10	PI-24	5.69
4	PI-20	3.22	16	PI-25	8.52

FORK TERMINALS (DOUBLE GRIP)					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-3.5	FD-934	3.84	4-6-3.1	FD-939	3.84
1.5-3.5	FD-935	2.28	4-6-3.5	FD-940	2.28
1.5-3.1	FD-936	2.88	10-6.5	FD-941	2.88
2.5-3.5	FD-937	2.64	10-8.2	FD-942	2.64
2.5-5.0	FD-938	4.18			

PIN TERMINALS (DOUBLE GRIP)					
SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5	PD-26	2.52	4	PD-29	4.68
1.5	PD-42	2.52	4	PD-30	5.52
2.5	PD-27	2.62	6	PD-31	5.52
2.5	PD-28	2.69	6	PD-32	7.80

EXCISE DUTY & TAXES WILL BE CHARGED EXTRA AS APPLICABLE.



BRACO ELECTRICALS (INDIA) PVT. LTD.

Adm. Office : 3/14 Gold Mohar Bldg., 174 , Princess Street, Mumbai - 400 002. India
Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@braco.in Website : www.braco.in



ISO 9001:2008
Certified Company

PRICE LIST DT. 16.08.2013



www.braco.in

END SEALING FERRULES



END SEALING FERRULES [INSULATED]



SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
0.5-6	ES-08	0.34	6-10	ES-18	0.96	0.5	ESI-0.5-8	0.62	4	ESI-4-10	1.32
0.75-6	ES-09	0.34	6-12	ES-19	1.13	0.75	ESI-0.75-8	0.62	4	ESI-4-12	1.68
1-6	ES-10	0.34	6-15	ES-20	1.34	1.00	ESI-1-8	0.65	6	ESI-6-12	2.04
1-10	ES-11	0.53	10-12	ES-21	1.34	1.00	ESI-1-10	0.72	10	ESI-10-12	2.64
1.5-7	ES-12	0.48	10-15	ES-22	1.56	1.5	ESI-1.5-8	0.74	16	ESI-16-12	3.24
1.5-10	ES-13	0.53	10-18	ES-23	1.87	1.5	ESI-1.5-10	0.84	25	ESI-25-16	5.04
2.5-7	ES-14	0.53	16-12	ES-24	1.56	2.5	ESI-2.5-8	0.90	35	ESI-35-16	6.24
2.5-12	ES-15	0.77	16-15	ES-25	1.87	2.5	ESI-2.5-10	0.96			
4-9	ES-16	0.72	16-18	ES-26	2.28	2.5	ESI-2.5-12	1.08			
4-12	ES-17	0.89	25-18	EH-84	2.88						

BRACO ELECTRICALS (INDIA) PVT. LTD.

Adm. Office : 3/14 Gold Mohar Bldg., 174 , Princess Street, Mumbai - 400 002. India
Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@braco.in Website : www.braco.in



PRICE LIST DT. 16.08.2013



OPEN CLOSE SOLDERING RING TERMINALS

SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-4.2	OC-71	1.68
2.5-5.2	OC-72	1.80
4-5.2	OC-73	2.88
6-6.5	OC-74	3.36
10-6.5	OC-75	4.56
16-8.2	OC-76	8.04
25-8.2	OC-77	13.92
35-8.2	OC-78	18.60
50-10.2	OC-79	32.40
70-10.2	OC-80	50.40

SIZE Sq.mm.	CAT NO.	RATE EACH
95-12.7	OC-81	91.20
120-12.7	OC-82	117.60
150-12.7	OC-83	148.80
185-16.2	OC-84	232.80
225-16.2	OC-85	266.40
240-16.2	OC-86	324.00
300-20.3	OC-87	444.00
400-20.3	OC-88	672.00
500-20.3	OC-89	744.00
625-20.3	OC-90	924.00

BRACO ELECTRICALS (INDIA) PVT. LTD.

Adm. Office : 3/14 Gold Mohar Bldg., 174 , Princess Street, Mumbai - 400 002. India
 Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@braco.in Website : www.braco.in

COPPER TUBE TERMINALS (LIGHT DUTY)

SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
2.5-5.2	CT-05	3.00	120-12.7	CT-22	62.40
4-6-6.2	CT-06	3.60	120-16.2	CT-23	62.40
6-6.2	CT-07	5.28	150-10.2	CT-24	85.20
10-6.2	CT-08	5.88	150-12.7	CT-25	85.20
16-6.2	CT-09	8.28	150-16.2	CT-26	85.20
25-6.2	CT-10	15.00	185-12.7	CT-27	124.80
35-6.2	CT-11	16.80	185-16.2	CT-28	124.80
50-6.2	CT-12	16.80	225-16.2	CT-231	174.00
50-8.2	CT-13	22.20	240-16.2	CT-29	180.00
50-10.2	CT-14	22.20	240-20.3	CT-30	180.00
70-10.2	CT-15	22.20	300-16.2	CT-31	242.40
70-8.2	CT-16	35.52	300-20.3	CT-32	242.40
70-10.2	CT-17	35.52	400-20.3	CT-33	364.80
95-10.2	CT-18	35.52	500-20.3	CT-34	516.00
95-12.7	CT-19	47.40	630-20.3	CT-35	717.60
120-10.2	CT-20	47.40	800	CT-62	1125.60
	CT-21	62.40	1000	CT-76	2088.00

COPPER TUBE TERMINALS (LONG BARREL)

SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
35-0.2	CT-08	27.36	185-12.7	CT-09	268.80
50-8.2	CT-84	49.80	240-16.2	CT-90	379.20
95-12.7	CT-86	117.60	400-20.3	CT-92	781.20
120-12.7	CT-87	156.00	630-20.3	CT-94	1740.00

ALUMINIUM IN-LINE CONNECTORS

SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
2.5-16	ILA-145	1.20	120-65	ILA-9	15.48
2.5-16	ILA-6	1.20	150-70	ILA10	#N/A
4-16	ILA-5	1.20	185-75	ILA-11	27.36
6-16	ILA-13	1.20	225-85	ILA-147	38.40
10-20	ILA-14	1.56	240-90	ILA-16	43.80
10-20	ILA-146	1.44	300-100	ILA-17	60.24
16-26	ILA-4	2.28	400-115	ILA-18.	93.60
25-35	ILA-3	2.76	500-125	ILA-19	132.00
35-40	ILA-2	3.72	630-140	ILA-20	177.60
50-45	ILA-12	5.64	800-160	ILA-148	216.00
70-55	ILA-1	10.20	1000-210	ILA-149	372.00
95-60	ILA-15	11.40			

ALUMINIUM TUBE TERMINALS

SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
2.5-3	AT-151	1.56	70-12	AT-226	11.52
2.5-3.5	AT-309	1.56	95-10	AT-227	12.48
4-4	AT-155	1.56	95-12	AT-228	12.48
4-5	AT-317	1.68	95-16	AT-229	12.48
6-5	AT-158	1.68	120-10	AT-257	18.12
6-6	AT-313	1.68	120-12	AT-230	18.12
10-4	AT-159	2.34	120-16	AT-231	18.12
10-6	AT-214	2.34	150-10	AT-258	23.04
10-8	AT-215	2.34	150-12	AT-232	23.04
16-6	AT-252	2.88	150-16	AT-233	23.04
16-8	AT-216	2.88	185-10	AT-311	29.40
16-10	AT-217	2.88	185-12	AT-234	29.40
25-6	AT-253	3.60	185-16	AT-235	29.40
25-8	AT-218	3.60	225-12	AT-236	40.80
25-10	AT-219	3.60	240-12	AT-236	49.20
25-12	AT-220	3.60	240-16	AT-237	49.20
35-6	AT-254	5.04	240-20	AT-238	49.20
35-8	AT-221	5.04	300-16	AT-300	69.00
35-10	AT-222	5.04	300-20	AT-259	69.00
50-8	AT-255	7.56	400-20	AT-260	99.84
50-12	AT-224	7.56	630-20	AT-261	192.00
70-8	AT-256	11.52	800	AT-318	288.00
70-10	AT-225	11.52	1000	AT-319	468.00

ALUMINIUM ALLOY BIMETALLIC TERMINALS

SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
10-8	ATB-2	4.56	150-12	ATB-7	34.80
16-6	ATB-3	5.40	150-16	ATB-18	34.80
16-8	ATB-4	5.28	185-12	ATB-19	44.40
25-8	ATB-5	7.32	185-16	ATB-20	44.40
25-10	ATB-6	7.32	225-12	ATB-21	62.40
35-8	ATB-7	9.00	240-12	ATB-22	72.00
35-10	ATB-8	9.00	240-16	ATB-23	72.00
50-8	ATB-9	12.24	300-16	ATB-24	97.20
50-10	ATB-10	12.24	300-20	ATB-25	97.20
70-10	ATB-11	18.36	400-20	ATB-26	139.20
70-12	ATB-12	18.36	500-20	ATB-27	216.00
95-10	ATB-13	19.44	630-20	ATB-28	276.00
95-12	ATB-14	19.44	800	ATB-29	408.00
120-10	ATB-15	27.60	1000	ATB-30	660.00

BRACO ELECTRICALS (INDIA) PVT. LTD.

Adm. Office : 3/14 Gold Mohar Bldg, 174 , Princess Street, Mumbai - 400 002, India
 Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@bracco.in Website : www.bracco.in



PRICE LIST DT. 16.08.2013



COPPER TUBE TERMINALS (HEAVY DUTY)					
SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
1.5-4.2	CT-711	2.70	95-8.4	CT-752	78.00
1.5-5.2	CT-538	2.70	95-10.5	CT-359	78.00
1.5-6.4	CT-539	2.70	95-13	CT-561	78.00
2.5-4.2	CT-388	2.88	95-15	CT-796	80.40
2.5-5.2	CT-540	2.88	95-17	CT-672	80.40
2.5-6.5	CT-541	2.88	95-21	CT-673	80.40
2.5-8.4	CT-762	3.36	120-8.5	CT-782	108.00
4-4.2	CT-764	4.08	120-10.5	CT-700	108.00
4-5.2	CT-389	4.08	120-12.7	CT-241	108.00
4-6.5	CT-543	4.08	120-15	CT-797	108.00
4-8.4	CT-763	4.08	120-17	CT-546	108.00
6-5.2	CT-390	5.16	120-21	CT-798	108.00
6-6.5	CT-544	5.16	150-8.4	CT-783	146.40
6-8.4	CT-545	5.16	150-10.5	CT-676	146.40
6-10.5	CT-854	6.24	150-12.7	CT-242	146.40
10-5.2	CT-822	6.00	150-15	CT-799	146.40
10-6.5	CT-353	6.00	150-17	CT-564	146.40
10-8.4	CT-547	6.00	150-21	CT-565	146.40
10-10.5	CT-855	9.60	185-10.5	CT-652	193.20
10-12.7	CT-856	9.60	185-12.7	CT-639	193.20
16-5.2	CT-696	7.92	185-15	CT-800	193.20
16-6.4	CT-354	7.92	185-17	CT-243	193.20
16-8.4	CT-549	7.92	185-21	CT-704	193.20
16-10.5	CT-657	12.96	240-10.5	CT-787	283.20
16-12.7	CT-858	12.96	240-12.7	CT-705	283.20
25-6.4	CT-355	11.40	240-15	CT-801	283.20
25-8.4	CT-551	11.40	240-17	CT-244	283.20
25-10.5	CT-552	12.84	240-21	CT-567	283.20
25-12.7	CT-765	12.84	300-10.5	CT-568	438.00
35-6.5	CT-542	19.80	300-12.7	CT-597	438.00
35-8.4	CT-356	19.80	300-15	CT-802	438.00
35-10.5	CT-554	19.80	300-17	CT-245	438.00
35-12.7	CT-853	19.80	300-21	CT-569	438.00
50-6.4	CT-746	33.60	400-17	CT-246	672.00
50-8.4	CT-357	33.60	400-21	CT-571	672.00
50-10.5	CT-556	33.60	500-17	CT-572	906.00
50-12.7	CT-698	33.60	500-21	CT-247	906.00
50-17	CT-699	37.20	630--	CT-761	1285.20
70-6.4	CT-748	55.20	630-17	CT-807	1285.20
70-8.4	CT-557	55.20	630-21	CT-248	1285.20
70-10.5	CT-358	55.20	800--	CT-599	2184.00
70-13	CT-559	55.20	800-21	CT-808	2184.00
70-15	CT-795	57.60	1000--	CT-590	2664.00
70-17	CT-780	57.60	1000-21	CT-809	2664.00
70-21	CT-781	57.60			

ALUMINIUM TUBE TERMINALS (Long Barrel)					
SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5-3	AT-551	2.04	120-10	AT-557	23.04
2.5-3.5	AT-509	2.04	120-12	AT-530	23.04
4.4	AT-555	2.04	120-16	AT-531	23.04
3.3	AT-517	2.16	150-10	AT-658	29.28
6.5	AT-558	2.16	150-12	AT-532	29.28
6.6	AT-513	2.16	150-16	AT-533	29.28
10.6	AT-514	2.76	185-10	AT-511	36.12
10.8	AT-515	2.76	185-12	AT-534	36.12
16.6	AT-552	3.60	185-16	AT-535	36.12
16.8	AT-516	3.60	225-12	AT-620	51.84
16.10	AT-617	3.60	240-12	AT-536	62.52
25-8	AT-518	4.20	240-16	AT-537	62.52
25-10	AT-519	4.20	240-20	AT-538	62.52
25-12	AT-520	4.20	300-16	AT-500	87.60
35-8	AT-521	6.24	300-20	AT-559	87.60
35-10	AT-522	6.24	400-20	AT-560	126.84
50-8	AT-655	9.48	500-20	AT-596	198.12
50-10	AT-512	9.48	630-20	AT-561	243.84
50-12	AT-524	9.48	800	AT-618	365.76
70-8	AT-556	14.64	1000	AT-619	594.36
70-10	AT-525	14.64			
70-12	AT-526	14.64			
95-10	AT-527	15.84			
95-12	AT-528	15.84			
95-16	AT-529	15.84			

BRACO ELECTRICALS (INDIA) PVT. LTD.

Adm. Office : 3/14 Gold Mohar Bldg., 174 , Princess Street, Mumbai - 400 002. India
 Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@braco.in Website : www.braco.in



PRICE LIST DT. 16.08.2013



www.braco.in

Heavy Duty In Line Connectors

SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1.5-15	ILC-453	2.04	50-40	ILC-26	32.40	185-65	ILC-31	182.40	630-110	ILC-61	1008.00
1.5-22	ILC-41	3.18	70-50	ILC-27	55.20	240-89	ILC-32	276.00	800-150	ILC-42	1764.00
2.5-15	ILC-454	2.04	70-40	ILC-51	43.20	240-80	ILC-56	258.00	1000-170	ILC-43	2640.00
4-15	ILC-3	3.12	95-60	ILC-28	87.60	300-95	ILC-33	408.00			
4.6-15	ILC-455	3.48	95-45	ILC-52	67.20	300-85	ILC-57	358.80	1.5	ILCI-63	2.40
6-15	ILC-4	3.12	120-65	ILC-29	110.40	400-115	ILC-34	642.00	2.5	ILCI-64	2.76
10-20	ILC-460	5.16	125-45	ILC-53	82.80	400-90	ILC-58	513.60	4-6	ILCI-65	3.96
16-20	ILC-6	5.88	150-70	ILC-30	146.40	500-117	ILC-35	828.00			
35-06	ILC-25	21.00	185-75	ILC-55	187.20	630-120	ILC-36	1104.00			

BRACO ELECTRICALS (INDIA) PVT. LTD.

Adm. Office : 3/14 Gold Mohar Bldg., 174 , Princess Street, Mumbai - 400 002. India
 Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@braco.in Website : www.braco.in



PRICE LIST DT. 16.08.2013



Copper Reducer Terminals					
SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5	WPC-1	11.76	70	WPC-27	74.40
2.5	WPC-7	11.04	70	WPC-6	110.40
4	WPC15	11.76	70	WPC-28	122.40
4	WPC-16	11.04	95	WPC-29	124.80
6	WPC-17	11.40	95	WPC-31	100.80
6	WPC-18	10.56	95	WPC-32	144.00
10	WPC-19	14.16	120	WPC-34	127.20
10	WPC-20	12.48	120	WPC-35	177.60
10	WPC-21	15.48	150	WPC-10	264.00
10	WPC-22	14.28	150	WPC-37	204.00
16	WPC-23	25.20	185	WPC-30	326.40
16	WPC-24	25.20	185	WPC-38	266.40
16	WPC-2	20.16	225	WPC-39	432.00
25	WPC-25	29.76	240	WPC-44	499.20
25	WPC-3	39.60	240	WPC-43	420.00
35	WPC-4	42.00	300	WPC-45	552.00
50	WPC-26	50.40	300	WPC-47	468.00
50	WPC-5	117.60	400	WPC-101	876.00

Aluminium Reducer Terminals					
SIZE	CAT	RATE	SIZE	CAT	RATE
Sq.mm.	NO.	EACH	Sq.mm.	NO.	EACH
2.5	WPA-1	5.04	70	WPA-28	34.20
2.5	WPA-7	4.80	95	WPA-29	41.28
4	WPA-15	4.92	95	WPA-8	46.80
6	WPA-16	4.80	95	WPA-31	37.20
6	WPA-17	4.92	95	WPA-32	46.80
6	WPA-18	4.80	120	WPA-33	58.80
10	WPA-19	6.24	120	WPA-34	54.72
10	WPA-20	6.00	120	WPA-35	62.40
10	WPA-21	6.00	120	WPA-36	69.60
10	WPA-22	6.00	150	WPA-10	78.00
16	WPA-23	9.12	150	WPA-37	78.00
16	WPA-24	9.12	185	WPA-30	93.60
16	WPA-2	8.16	185	WPA-38	90.00
25	WPA-25	11.04	225	WPA-39	118.80
25	WPA-3	12.24	225	WPA-46	158.40
35	WPA-4	12.96	225	WPA-42	148.80
50	WPA-26	18.00	240	WPA-44	163.20
50	WPA-5	27.60	240	WPA-43	150.00
70	WPA-27	27.60	300	WPA-45	176.40
70	WPA-6	32.40	300	WPA-47	164.40

BRACO ELECTRICALS (INDIA) PVT. LTD.

Adm. Office : 3/14 Gold Mohar Bldg., 174 , Princess Street, Mumbai - 400 002. India
 Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@braco.in Website : www.braco.in



PRICE LIST DT. 16.08.2013



SNAP ON TERMINALS

SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH	SIZE Sq.mm.	CAT NO.	RATE EACH
1	8368	2.93	1.5	8355	3.72	2.5	8331	4.92	-	8214	5.64
-	8369	2.93	1.5	8197	3.29	2.5	8347	3.72	-	8246	6.24
-	8370	2.93	1.5	8336	2.86	2.5	8348	5.28	1.2	8693	2.66
1.5	8360	4.63	1.5	8353	4.18	2.5	8349	3.72	1.2	8694	2.06
1.5	8361	5.83	1.5	8356	2.93	2.5	8350	5.28	1.2	8695	1.87
1.5	8351	3.46	1.5	8357	3.72	2.5	8363	4.42	1.2	8697	1.20
1.5	8352	4.92	1.5	8362	3.91	2.5	8365	6.24	4.00	8476	6.96
1.5	8358	2.93	1.5	8364	2.64	2.5	8366	6.24			
1.5	8359	3.96	1.5	8367	9.60	2.5	8473	6.96			
1.5	8324	2.71	1.5	8661	4.80	2.5	8474	8.76			
1.5	8325	3.60	2.5	8178	5.30	2.5	8475	8.76			
1.5	8354	2.93	2.5	8245	4.56	2.5	8477	11.40			

BRACO ELECTRICALS (INDIA) PVT. LTD.

Adm. Office : 3/14 Gold Mohar Bldg., 174 , Princess Street, Mumbai - 400 002. India
 Tel.: + 91 22 39567543 Fax : 22083137 Email : sales@braco.in Website : www.braco.in